

MATLAB helpful hacks

Index Non-Empty Cells in Cell Array

<http://www.mathworks.com/matlabcentral/answers/42283-index-non-empty-cells-in-cell-array>

```
x = {1,[],[],[]}; find(~cellfun(@isempty,x))
```

Exiting loop (for / while -> pause) gracefully

(i.e., without “ctrl-C” abort)

For example, when paging thru trials:

```
figure('Name','Plot trial','CurrentChar',' ');
for k = 1:length(trial),
    ...
    drawnow; pause;
    if get(gcf,'CurrentChar')== 'q', % pressing "q" will exist the loop, make
sure focus is on the figure!
        break;
    end
    clf;
end
```

Finding indices between two vectors of start and end indices, using arrayfun

Assume we have two vectors, `repeated_segments_start_idx`, and `repeated_segments_end_idx`, and we want to find all indices between each pair.

```
idx =
[repeated_segments_start_idx(segments2remove_idx):repeated_segments_end_idx(
segments2remove_idx)] % DOES NOT WORK, OF COURSE!

idx =
cell2mat(arrayfun(@colon,repeated_segments_start_idx,repeated_segments_end_i
dx,'UniformOutput',false)); % WORKS!
```

Maximize figure window

```
set(gcf,'units','normalized','outerposition',[0 0 1 1]);
```

Plot an "imagesc" with transparent NaNs

```
h = imagesc(X,Y,C);  
set(h, 'alphadata', ~isnan(C));
```

Shifting colormaps

Sometimes the colormap plots are shifted after printing. To fix this: - in Adobe Illustrator, click on the colormap, release clipping mask, and go to "Object", "Rasterize", in the "Resolution" part click on the "Use Document Raster Effects Resolution".

You have to do it for each of the colormaps.

From:
<http://dag.dokuwiki.dpz.lokal/> - **DAG wiki**

Permanent link:
http://dag.dokuwiki.dpz.lokal/doku.php?id=matlab:matlab_helpful_hacks&rev=1562759162

Last update: **2022/12/29 07:15**

